

CONTENTS OF VOLUME 46

- Aalders, L. E.** See Craig, D. L., 73.
- Aalders, L. E. and Craig, D. L.** Progeny performance of seven strawberry cultivars crossed to a common tester, 91.
- Adams, C. A. and Sheard, R. W.** Alterations in the nitrogen metabolism of *Medicago sativa* and *Dactylis glomerata* as influenced by potassium and sulfur nutrition, 671.
- Allard, J., Richard, J., and Bélanger, J. A.** Recherche de la dose optimum d'azote minéral sur le tabac jaune irrigué, 405.
- Anderson, C. H. and Read, D. W. L.** Water-use efficiency of some varieties of wheat, oats, barley, and flax grown in the greenhouse, 375.
- Ashford, R.** See Lawrence, T., 9.
- Ashton, G. C.** See Bhar, D. S., 69.
- Baler, W. and Robertson, G. W.** A new versatile soil moisture budget, 299.
- Banting, J. D.** Studies on the persistence of *Avena fatua*, 129.
Factors affecting the persistence of *Avena fatua*, 469.
- Basu, P. K.** Conditions for symptomatological differentiation of bacterial canker, spot, and speck on tomato seedlings, 525.
- Beauchamp, E. G. and Lathwell, D. J.** Effect of root zone temperatures on corn leaf morphology, 593.
- Bélanger, J. A.** See Allard, J., 405.
- Benedict, W. G.** Changes in levels of some chemical constituents of soybean leaves following leaf spot infection, 553.
- Benedict, W. G. and Fucikovsky, L.** *Cercospora soja* lesions on soybean, 567.
- Bergen, H. J.** See Hall, N. W., 216.
- Bezeau, L. M., Johnston, A., and Smoliak, S.** Silica and protein content of mixed prairie and fescue grassland vegetation and its relationship to the incidence of silica urolithiasis, 625.
- Bhar, D. S., Hilton, R. J., and Ashton, G. C.** Effect of time of cutting and of storage treatment on growth and vigor of scions of *Malus pumila* cv. McIntosh, 69.
- Bishop, R. F. and Chisholm, D.** Arsenical spray residues on apples and in some apple products, 225.
- Bolton, A. T., Nuttall, V. W., and Lyall, L. H.** A new race of *Fusarium oxysporum* f. *pisi*, 343.
- Bonin, S. G. and Goplen, B. P.** Heritability of seed yield components and some visually evaluated characters in reed canarygrass, 51.
- Brun, W. A.** See Halmos, S., 89.
- Bubar, J. S.** See Miri, R. K., 411.
- Burdon, H.** See Lopatecki, L. E., 633.
- Calder, F. W. and MacLeod, L. B.** Effect of cold treatment on alfalfa as influenced by harvesting system and rate of potassium application, 17.
- Calder, F. W., MacLeod, L. B., and Hayden, R. I.** Electrical resistance in alfalfa roots as affected by temperature and light, 185.
- Campbell, J. D. and Gusta, L. V.** The response of carrots and onions to micronutrients on an organic soil in Manitoba, 419.
- Carder, A. C.** Further data on the performance of Bellani-type atmometers, 93.
- Carson, R. B.** See Langille, J. E., 561.
- Childers, W. R.** Branched raceme in alfalfa, 99.
Redpatch brome grass, 456.
- Chisholm, D.** See Bishop, R. F., 225.
- Clark, K. W.** See Kilcher, M. R., 279.
- Clark, R. D.** See Wilson, D. B., 433.
- Clark, R. V.** The reaction of barley lines to root rot, leaf spot, and head blight, 603.
- Cline, R. A.** See Collin, G. H., 379.
- Cohen, Y.** See Rotem, J., 265.
- Collin, G. H. and Cline, R. A.** The interaction effect of potassium and environment on tomato ripening disorders, 379.
- Cordukes, W. E., Wilner, J., and Rothwell, V. T.** The evaluation of cold and drought stress of turfgrasses by electrolytic and ninhydrin methods, 337.
- Cosby, H. E.** See Johnston, A., 211.
- Coupland, R. T.** See Dodd, J. D., 479.
- Craig, D. L.** See Aalders, L. E., 91.
- Craig, D. L. and Aalders, L. E.** Winter injury and yielding ability of six red raspberry varieties under two systems of culture in Nova Scotia, 73.
- Cram, W. H.** See Werkhoven, C. H. E., 1.
- Crowle, W. L.** The influence of nitrogen fertilizer, row spacing, and irrigation on seed yield of nine grasses in central Saskatchewan, 425.

- Davidson, T. R. See George, J. A., 501.
- Denby, L. G. See Matthews, J. S., 681.
- Dermine, P. See Hidioglou, M., 101.
- Dermine, P. and Klinck, H. R. The value of standard weather data in yield-climate studies of two oat varieties, 27.
- Dew, D. A. See Friesen, H. A., 653.
- Dodd, J. D. and Coupland, R. T. Osmotic pressures of native plants of saline soil in Saskatchewan, 479.
- Dodds, M. E. and Warder, F. G. The effect of early windrowing on the protein content of spring wheat, 687.
- Downing, R. S. The effect of certain miticides on the predacious mite *Neoseiulus caudiglans* (Acarina:Phytoseiidae), 521.
- Driediger, H. See Freeman, J. A., 454.
- Dubetz, S. See Wilson, D. B., 433; Wells, S. A., 507.
- Eaton, G. W. The effect of frost upon seed number and berry size in the cranberry, 87.
- Production of highbush blueberry pollen and its germination in vitro as affected by pH and sucrose concentration, 207.
- Eaves, C. A. See Lockhart, C. L., 151.
- Edgington, L. V. and Reinbergs, E. Control of loose smut in barley with systemic fungicides, 336.
- Eggert, F. P. See Kender, W. J., 141.
- Fejer, S. O. Growth and reproduction of New Zealand, Mediterranean, and hybrid *Dactylis glomerata* after short day and temperature treatments, 233.
- Gibberellic acid treatment of *Dactylis glomerata* and its residual effects on the following generation, 367.
- Fensom, D. S. On measuring electrical resistance in situ in higher plants, 169.
- Ferguson, W. S. Salt-induced changes in the composition of lipid classes in barley roots, 639.
- Findlay, W. I. See Fulton, J. M., 685.
- Finlayson, D. G. and Noble, M. D. Cyclodiene-resistant cabbage maggots and rutabaga production in sandy loam and peat soils, 459.
- Fletcher, H. F. See Stanfield, B., 195; Maurer, A. R., 285.
- Fletcher, H. F. and Maurer, A. R. A movable rain shelter for small experimental plots, 695.
- Fletcher, H. F., Ormrod, D. P., Maurer, A. R., and Stanfield, B. Response of peas to environment. I. Planting date and location, 77.
- Foott, J. W. See Heinicke, D. R., 589.
- Fox, C. J. S. Wireworms in pure stands of grasses and weeds, 453.
- Fox, C. J. S. and Jaques, R. P. Preliminary observations on biological insecticides against imported cabbageworm, 497.
- Franklin, E. W. and Loughheed, E. C. A new method for applying maleic hydrazide to inhibit sprouting of potato tubers, 450.
- Freeman, J. A., Renney, A. J., and Driediger, H. Unfluence of atrazine and simazine on leaf chlorophylls and fruit yield of raspberries, 454.
- Friesen, H. A. and Dew, D. A. The influence of temperature and soil moisture on the phytotoxicity of dicamba, picloram, bromoxynil, and 2,4-D ester, 653.
- Fucikovsky, L. See Benedict, W. G., 567.
- Fulton, J. M. and Findlay, W. I. Reproducibility of evapotranspiration measurements from floating lysimeters, 685.
- Gardener, C. J. See Tanner, J. W., 690.
- George, J. A. and Davidson, T. R. Virus assay of seeds from selected Montmorency cherry trees, 501.
- Goplen, B. P. See Bonin, S. G., 51.
- Gourley, C. O. The pathogenicity of *Colletotrichum dematium* to table beets and other hosts, 531.
- Grant, E. A. and MacLean, A. A. Effect of nitrogen, phosphorus, and potassium on yield, persistence, and nutrient content of timothy, 577.
- Gross, A. T. H. and Stefansson, B. R. Effect of planting date on protein, oil, and fatty acid content of rape seed and turnip rape, 389.
- Gusta, L. V. See Campbell, J. D., 419.
- Hagborg, W. A. F. A comparison of a dried crude filtrate containing antibiotic P-9, with a nickel-zinc mixture, and dichlorotetrafluoroacetone for cereal rust control, 537.
- Hall, I. V. and Leefe, J. S. The effects of frost injury before harvest, on yield of marketable lowbush blueberries, 205.
- Hall, N. W., Bergen, H. J., and McKenzie, H. A cereal plot trimmer, 216.
- Halmos, S. and Brun, W. A. Automatic humidity chambers for plant disease inoculation studies, 89.
- Hamilton, H. A. See Hidioglou, M., 101.
- Hayden, R. I. See Calder, F. W., 185.

- Heinicke, D. R. and Foott, J. W.** The effect of several phosphate insecticides on photosynthesis of Red Delicious apple leaves, 589.
- Heinrichs, D. H.** See Kilcher, M. R., 163, 177, 279.
- Heinrichs, D. H. and Nielsen, K. F.** Growth response of alfalfa varieties of diverse genetic origin to different root zone temperatures, 291.
- Hergert, G., Zillinsky, F. J., and Kemp, J. K.** An aspirator for cleaning small seed samples, 570.
- Hidioglou, M., Dermine, P., Hamilton, H. A., and Troelsen, J. E.** Chemical composition and in vitro digestibility of forage as affected by season in northern Ontario, 101.
- Hilton, R. J.** See Bhar, D. S., 69.
- Hobbs, E. H. and Krogman, K. K.** Evapotranspiration from alfalfa as related to evaporation and other meteorological variables, 271.
- Jackson, H. O.** See Weaver, G. M., 323.
- Jaffray, D. E.** See Maurer, A. R., 285.
- Jaques, R. P.** See Fox, C. J. S., 497.
- Johnston, A.** See Bezeau, L. M., 625.
- Johnston, A. and Cosby, H. E.** Rhizomatous form of *Festuca scabrella*, 211.
- Kaul, R.** Relative growth rates of spring wheat, oats, and barley under polyethylene glycol-induced water stress, 611.
- Kemp, J. G.** See Rothwell, V. T., 97; Hergert, G., 570.
- Kender, W. J. and Eggert, F. P.** Several soil management practices influencing the growth and rhizome development of the lowbush blueberry, 141.
- Kilcher, M. R., Clark, K. W., and Heinrichs, D. H.** Dryland grass-alfalfa mixture yields and influence of associates on one another, 279.
- Kilcher, M. R. and Heinrichs, D. H.** Persistence of alfalfas in mixture with grasses in a semiarid region, 163.
- Performance of some grass-alfalfa mixtures in southwestern Saskatchewan during drought years, 177.
- Klinck, H. R.** See Dermine, P., 27; Stoskopf, N. C., 155, 397.
- Krogman, K. K.** See Hobbs, E. H., 271.
- Kusch, A. G., Plessers, A. G., and Newman, J. A.** Noralta flax, 329.
- Langille, J. E., Nicholson, J. W. G., Warren, F. S., and Carson, R. B.** Influence of nitrogen fertilization and harvesting management on yield and chemical composition of *Spartina pectinata* on dikeland, 561.
- Lapins, K.** See McIntosh, D. L., 619.
- Lathwell, D. J.** See Beauchamp, E. G., 593.
- Lawrence, T. and Ashford, R.** The productivity of intermediate wheatgrass as affected by initial harvest dates and recovery periods, 9.
- Layne, R. E. C. and Rainforth, J. R.** A new symptom of bacterial canker resulting from systemic infection of tomato fruits and its implications in dissemination and seed transmission, 371.
- Leefe, J. S.** See Hall, I. V., 205.
- Lin, D. M.** See Sosulski, F. W., 583.
- Lockhart, C. L. and Eaves, C. A.** The influence of controlled atmospheres on the storage of strawberry plants, 151.
- Lopatecki, L. E. and Burdon, H.** Suppression of bull's eye rot of apples and growth of *Neofabraea perennans* by scald control agents diphenylamine and ethoxyquin, 633.
- Lougheed, E. C.** See Franklin, E. W., 450.
- Lyall, L. H.** See Bolton, A. T., 343.
- MacDonald, D. C.** See Voisey, P. W., 698.
- Macdowall, F. D. H.** Rapid field test for tobacco alkaloid content, 332.
- The relation between dew and tobacco weather fleck, 349.
- MacLaren, R. B.** See Sterling, J. D. E., 219.
- MacLean, A. A.** See Grant, E. A., 577.
- MacLeod, L. B.** See Calder, F. W., 17, 185.
- Marchand, L. S.** See van Ryswyk, A. L., 35.
- Marshall, H. H.** Genotype recognition in peas by water imbibition of seeds, 545.
- Matthews, J. S. and Denby, L. G.** The effect of nitrogen and phosphorus nutrition on pH of tomato, 681.
- Maurer, A. R.** See Fletcher, H. F., 77, 695.
- Maurer, A. R., Jaffray, D. E., and Fletcher, H. F.** Response of peas to environment. III. Assessment of the morphological development of peas, 285.
- McBean, D. S.** See Wells, S. A., 569.
- McIntosh, D. L. and Lapins, K.** Differences in susceptibility to apple powdery mildew observed in McIntosh clones after exposure to ionizing radiation, 619.
- McKenzie, H.** See Hall, N. W., 216.
- McLean, A.** See van Ryswyk, A. L., 35.

- Metcalf, D. R.** Inheritance of loose smut resistance. III. Relationships between the "Russian" and "Jet" genes for resistance and genes in 10 barley varieties of diverse origin, 487.
- Miltimore, J. E.** See Pringle, W. L., 702.
- Miri, R. K. and Bubar, J. S.** Self-incompatibility as an outcrossing mechanism in birdsfoot trefoil (*Lotus corniculatus*), 411.
- Newman, J. A.** See Kusch, A. G., 329.
- Nicholson, J. W. G.** See Langille, J. E., 561.
- Nielsen, K. F.** See Heinrichs, D. H., 291.
- Noble, M. D.** See Finlayson, D. G., 459.
- Nuttall, V. W.** See Bolton, A. T., 343.
- Ormrod, D. P.** See Fletcher, H. F., 77; Stanfield, B., 195.
- Ormrod, D. P. and Woolley, C. J.** Apparatus for environmental physiology studies, 573.
- Ouellet, C. E.** Comparaison de deux méthodes d'enracinement des boutures d'orme d'Amérique (*Ulmus americana*), 115.
Estimation des degrés-jours de croissance par les températures mensuelles moyennes, 355.
- Ounsworth, L. F.** Harbon tomato, 331.
- Paul, E. A.** See Sosulski, F. W., 583.
- Plessers, A. G.** Seed production by cross pollination in winter wheat, 449.
See also Kusch, A. G., 329.
- Porritt, S. W.** The effect of oxygen and low concentrations of carbon dioxide on the quality of apples stored in controlled atmosphere, 317.
- Povillaitis, B. and White, F. H.** Delcrest 66, a new variety of bright tobacco, 457.
- Pringle, W. L. and Miltimore, J. E.** Digestibility of bog forage, 702.
- Putt, E. D.** Heterosis, combining ability, and predicted synthetics from a diallel cross in sunflowers (*Helianthus annuus* L.), 59.
- Rainforth, J. R.** See Layne, R. E. C., 371.
- Read, D. W. L.** See Anderson, C. H., 375.
- Reinbergs, E.** See Edgington, L. V., 336; Stoskopf, N. C., 513; Tanner, J. W., 690.
- Renney, A. J.** See Freeman, J. A., 454.
- Richard, J.** See Allard, J., 405.
- Ricketson, C. L.** See Townshend, J. L., 111.
- Robertson, G. W.** See Baier, W., 299.
- Rotem, J., Cohen, Y., and Wahl, I.** A new tomato foliage disease in Israel caused by *Stemphylium botryosum*, 265.
- Rothwell, V. T.** See Cordukes, W. E., 337.
- Rothwell, V. T. and Kemp, J. G.** A grass clipper for laboratory use, 97.
- Salisbury, P. J.** See Werkhoven, C. H. E., 1.
- Sampson, D. R.** Linkage of genetic male sterility with a seedling marker and its use in producing F_1 hybrid seed of *Brassica oleracea* (cabbage, broccoli, kale, etc.), 703.
- Santerre, J.** Absence apparente de l'organisme de la tache argentée des pommes de terre, *Helminthosporium atrovirens*, dans les sols nouvellement défrichés, 647.
- Scott, K. R.** Use of liquid nitrogen in a winterhardiness test chamber for fruit trees, 691.
- Sheard, R. W.** See Adams, C. A., 671.
- Skoropad, W. P.** Sporulating potential of *Rhynchosporium secalis* on naturally infected leaves of barley, 243.
- Smoliak, S.** See Bezeau, L. M., 625.
- Sosulski, F. W., Lin, D. M., and Paul, E. A.** Effect of moisture, temperature, and nitrogen on yield and protein quality of Thatcher wheat, 583.
- Stanfield, B.** See Fletcher, H. F., 77.
- Stanfield, B., Ormrod, D. P., and Fletcher, H. F.** Response of peas to environment. II. Effects of temperature in controlled-environment cabinets, 195.
- Stefansson, B. R.** Altona, a new variety of soybeans, 693.
Target, a new variety of summer rape, 694.
See also Gross, A. T. H., 389.
- Steppler, H. A.** See Stoskopf, N. C., 397.
- Sterling, J. D. E. and MacLaren, R. B.** The effects of low temperature on diapause in the rearing of the barley jointworm, *Tetramesa hordei*, with observations on sex ratios, 219.
- Stoskopf, N. C.** See Tanner, J. W., 690.
- Stoskopf, N. C. and Klinck, H. R.** Temperature variations in the microclimate of oats, 155.
- Stoskopf, N. C., Klinck, H. R., and Steppler, H. A.** Temperature in relation to growth and net assimilation rate of oats, 397.
- Stoskopf, N. C. and Reinbergs, E.** Breeding for yield in spring cereals, 513.
- Svejda, F.** Investigations on the relationship between winterhardiness in roses and the electric impedance measured during the growing period, 441.
- Symko, S.** Striated kernels in the genus *Hordeum*, 206.

- Tanner, J. W., Gardener, C. J., Stoskopf, N. C., and Reinbergs, E.** Some observations on upright-leaf-type small grains, 690.
- Townsend, L. R.** Effect of nitrate and ammonium nitrogen on the growth of the lowbush blueberry, 209.
- Townshend, J. L., Ricketson, C. L., and Wiebe, J.** The effect of spring application of nematocides on strawberry in the Niagara Peninsula, 111.
- Troelsen, J. E.** See Hidiroglou, M., 101.
- van Ryswyk, A. L., McLean, A., and Marchand, L. S.** The climate, native vegetation, and soils of some grasslands at different elevations in British Columbia, 35.
- Voisey, P. W. and MacDonald, D. C.** A puncturing device for estimating the physical properties of fruits and vegetables, 698.
- Wahl, I.** See Rotem, J., 265.
- Walker, E. K.** Effect of foliar sprays of Phygon XL-50 on green fixation in flue-cured tobacco, 326.
- Warder, F. G.** See Dodds, M. E., 687.
- Warren, F. S.** See Langille, J. E., 561.
- Weaver, G. M. and Jackson, H. O.** Electric impedance, an objective index of maturity in peach, 323.
- Wells, S. A. and Dubetz, S.** Reaction of barley varieties to soil water stress, 507.
- Wells, S. A. and McBean, D. S.** Galt barley, 569.
- Wensley, R. N.** Rate of healing and its relation to canker of peach, 257.
- Werkhoven, C. H. E., Salisbury, P. J., and Cram, W. H.** Germination and survival of Colorado spruce, Scots pine, caragana, and Siberian elm at four salinity and two moisture levels, 1.
- White, F. H.** See Povilaitis, B., 457.
- Wiebe, J.** See Townshend, J. L., 111.
- Wilner, J.** See Cordukes, W. E., 337.
- Wilson, D. B.** Variability in herbage yields from caged areas in a pasture experiment, 249.
- Wilson, D. B., Clark, R. D., and Dubetz, S.** Effects of nitrogen fertilizer on herbage yields and sheep production on irrigated pasture, and a comparison of methods of yield assessment, 433.
- Woolley, C. J.** See Ormrod, D. P., 573.
- Woolliams, G. E.** Host range and symptomatology of *Verticillium dahliae* in economic, weed, and native plants in Interior British Columbia, 661.
- Zillinsky, F. J.** Stormont, a new lodging-resistant oat, 213.
- See also Hergert, G., 570.
- Zubeckis, E.** Hydroxymethylfurfural in Canadian apple juice, 125.